

AMENDMENT TRANSMITTAL LETTERDocket No.
04783/030001Application No.
10/560,860-Conf. #2352Filing Date
December 15, 2005Examiner
Vanchy Jr, Michael J.Art Unit
2624

Applicant(s): Eiko Yoshino

Invention: TERMINAL DEVICE, DISPLAY SYSTEM, DISPLAY METHOD, PROGRAM, AND RECORDING MEDIUM

TO THE COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED					
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate	
Total Claims	15	- 20 =	0	x 50.00	0.00
Independent Claims	5	- 5 =	0	x 210.00	0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
Other fee (please specify):					
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:					0.00

 Large Entity Small Entity No additional fee is required for this amendment. Please charge Deposit Account No. 50-0591 in the amount of \$.
A duplicate copy of this sheet is enclosed. A check in the amount of \$ to cover the filing fee is enclosed. Payment by credit card. The Director is hereby authorized to charge and credit Deposit Account No. 50-0591
as described below. A duplicate copy of this sheet is enclosed. Credit any overpayment. Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.

/Jonathan P. Osha/

Jonathan P. Osha

Attorney/Agent Reg. No.: 33,986

Dated: August 4, 2008OSHA · LIANG LLP
1221 McKinney St., Suite 2800
Houston, Texas 77010
(713) 228-8600

Docket No.: 04783/030001
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Eiko Yoshino

Application No.: 10/560,860

Confirmation No.: 2352

Filed: December 15, 2005

Art Unit: 2624

For: TERMINAL DEVICE, DISPLAY SYSTEM,
DISPLAY METHOD, PROGRAM, AND
RECORDING MEDIUM

Examiner: Vanchy Jr, Michael J.

REPLY UNDER 37 C.F.R. § 1.116

MS Final
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action dated June 2, 2008, please reconsider this application in view of the following.